

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AcB: Acquango-----	90	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Unlimited	
AcC: Acquango-----	90	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Unlimited	
As: Askecksy-----	80	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.99	Very limited Cutbanks cave	1.00
Be: Beaches-----	100	Not rated		Not rated		Not rated	
Bh: Berryland-----	80	Very limited Seepage	1.00	Very limited Ponding Depth to saturated zone Seepage	1.00 1.00 0.23	Very limited Cutbanks cave	1.00
BkA: Brockatonorton-----	80	Very limited Seepage	1.00	Somewhat limited Seepage Depth to saturated zone	0.98 0.86	Very limited Cutbanks cave Depth to water	1.00 0.06
BkB: Brockatonorton-----	80	Very limited Seepage	1.00	Somewhat limited Seepage Depth to saturated zone	0.98 0.86	Very limited Cutbanks cave Depth to water	1.00 0.06
Br: Broadkill-----	80	Very limited Seepage	1.00	Very limited Ponding Depth to saturated zone Salinity Piping Seepage	1.00 1.00 1.00 0.24 0.01	Very limited Cutbanks cave Salty water	1.00 1.00
BX: Boxiron-----	40	Somewhat limited Seepage	0.57	Very limited Ponding	1.00	Somewhat limited Salty water	0.78

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Broadkill-----	40	Very limited Seepage	1.00	Depth to saturated zone	1.00	Cutbanks cave	0.10
				Piping	0.58		
				Salinity	0.50		
				Seepage	0.16		
CeA: Cedartown-----	55	Very limited Seepage	1.00	Very limited Ponding	1.00	Very limited Cutbanks cave	1.00
				Depth to saturated zone	1.00	Salty water	1.00
				Salinity	1.00		
				Piping	0.24		
Rosedale-----	25	Very limited Seepage	1.00	Seepage	0.01		
				Somewhat limited Seepage	0.33	Unlimited	
				Somewhat limited Seepage	0.45	Very limited Depth to water	1.00
CeB: Cedartown-----	55	Very limited Seepage	1.00	Somewhat limited Seepage	0.33	Unlimited	
				Somewhat limited Seepage	0.45	Very limited Depth to water	1.00
Rosedale-----	25	Very limited Seepage	1.00	Somewhat limited Seepage	0.45	Very limited Depth to water	1.00
Ch: Chicone-----	75	Very limited Seepage	1.00	Not Rated		Very limited Cutbanks cave	1.00
				Not Rated			
				Ponding	1.00		
				Depth to saturated zone	1.00		
Ek: Elkton-----	80	Somewhat limited Seepage	0.05	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30
				Piping	1.00	Cutbanks cave	0.10
Em: Elkton-----	80	Somewhat limited Seepage	0.70	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill	0.30
				Piping	0.84	Cutbanks cave	0.10
EvA: Evesboro-----	80	Very limited Seepage	1.00	Somewhat limited Seepage	0.41	Unlimited	
EvB: Evesboro-----	80	Very limited Seepage	1.00	Somewhat limited Seepage	0.41	Unlimited	
EvC: Evesboro-----	80	Very limited Seepage	1.00	Somewhat limited Seepage	0.41	Unlimited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fa: Fallsington-----	75	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.09	Very limited Cutbanks cave	1.00
FmA: Fort Mott-----	80	Very limited Seepage	1.00	Somewhat limited Seepage	0.10	Unlimited	
FmB: Fort Mott-----	80	Very limited Seepage	1.00	Somewhat limited Seepage	0.39	Unlimited	
GaA: Galestown-----	75	Very limited Seepage	1.00	Somewhat limited Seepage	0.54	Unlimited	
GaB: Galestown-----	75	Very limited Seepage	1.00	Somewhat limited Seepage	0.41	Unlimited	
GaC: Galestown-----	75	Very limited Seepage	1.00	Somewhat limited Seepage	0.41	Unlimited	
HbA: Hambrook-----	75	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Depth to water	1.00
HbB: Hambrook-----	75	Somewhat limited Seepage	0.70	Very limited Piping	1.00	Very limited Depth to water	1.00
HmA: Hammonton-----	75	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.19	Very limited Cutbanks cave Depth to water	1.00 0.07
HmB: Hammonton-----	75	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.19	Very limited Cutbanks cave Depth to water	1.00 0.07
Hu: Hurlock-----	80	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.17	Very limited Cutbanks cave	1.00
In: Indiantown-----	75	Very limited Seepage	1.00	Very limited Ponding Depth to saturated zone Seepage	1.00 1.00 0.33	Very limited Cutbanks cave	1.00

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ke: Kentuck-----	85	Very limited Seepage	1.00	Very limited Ponding Depth to saturated zone Piping Seepage	1.00 1.00 1.00 0.22	Very limited Cutbanks cave	1.00
KsA: Klej-----	75	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.33	Very limited Cutbanks cave	1.00
KsB: Klej-----	75	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.33	Very limited Cutbanks cave	1.00
Ma: Manahawkin-----	80	Very limited Seepage	1.00	Not Rated Not Rated Content of organic matter Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Cutbanks cave	1.00
MC: Mannington-----	50	Very limited Seepage	1.00	Not Rated Not Rated Content of organic matter Ponding Depth to saturated zone	1.00 1.00 1.00	Somewhat limited Cutbanks cave	0.10
Nanticoke-----	45	Somewhat limited Seepage	0.05	Very limited Ponding Depth to saturated zone Piping	1.00 1.00 1.00	Somewhat limited Slow refill Cutbanks cave	0.95 0.10
MeA: Matapeake-----	80	Very limited Seepage	1.00	Somewhat limited Seepage	0.12	Unlimited	
MeB: Matapeake-----	80	Very limited Seepage	1.00	Somewhat limited Seepage	0.12	Unlimited	
MkA: Matapeake-----	80	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Unlimited	
MkB: Matapeake-----	80	Very limited		Very limited		Unlimited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	1.00	Piping Seepage	1.00 0.12		
MpA: Mattapex-----	80	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone Seepage	1.00 0.95 0.22	Very limited Cutbanks cave Depth to water	1.00 0.02
MpB: Mattapex-----	80	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone Seepage	1.00 0.95 0.22	Very limited Cutbanks cave Depth to water	1.00 0.02
MqA: Mattapex-----	80	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone Seepage	1.00 0.95 0.22	Very limited Cutbanks cave Depth to water	1.00 0.02
MqB: Mattapex-----	80	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone Seepage	1.00 0.95 0.22	Very limited Cutbanks cave Depth to water	1.00 0.02
Mu: Mullica-----	55	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.19	Very limited Cutbanks cave	1.00
Berryland-----	30	Very limited Seepage	1.00	Very limited Ponding Depth to saturated zone Seepage	1.00 1.00 0.19	Very limited Cutbanks cave	1.00
NnA: Nassawango-----	80	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Very limited Cutbanks cave Depth to water	1.00 0.99
NnB: Nassawango-----	80	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Very limited Cutbanks cave Depth to water	1.00 0.99
NsA: Nassawango-----	80	Very limited Seepage	1.00	Very limited Piping Seepage	1.00 0.12	Very limited Cutbanks cave Depth to water	1.00 0.99

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
NsB: Nassawango-----	80	Very limited Seepage	1.00	Very limited Piping	1.00	Very limited Cutbanks cave Depth to water Slow refill	1.00 0.99 0.43
Ot: Othello-----	40	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.12	Very limited Cutbanks cave	1.00
Othello-----	40	Very limited Seepage	1.00	Very limited Depth to saturated zone Piping Seepage	1.00 1.00 0.12	Very limited Cutbanks cave	1.00
Pk: Puckum-----	75	Very limited Seepage	1.00	Not Rated Not Rated Not Rated Not Rated Content of organic matter Ponding	1.00 1.00	Somewhat limited Cutbanks cave	0.10
Pu: Purnell-----	80	Very limited Seepage	1.00	Not Rated Not Rated Ponding Depth to saturated zone Salinity	1.00 1.00 0.50	Very limited Cutbanks cave Salty water	1.00 0.78
RoA: Rosedale-----	80	Very limited Seepage	1.00	Somewhat limited Seepage	0.45	Very limited Depth to water	1.00
RoB: Rosedale-----	80	Very limited Seepage	1.00	Somewhat limited Seepage	0.45	Very limited Depth to water	1.00
RuA: Runclint-----	75	Very limited Seepage	1.00	Somewhat limited Seepage	0.10	Very limited Depth to water	1.00
RuB: Runclint-----	80	Very limited Seepage	1.00	Somewhat limited Seepage	0.50	Very limited Depth to water	1.00
SaA: Sassafras-----	75	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Unlimited	
SaB: Sassafras-----	75	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Unlimited	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SaC: Sassafras-----	75	Very limited Seepage	1.00	Somewhat limited Seepage	0.03	Unlimited	
Su: Sunken-----	100	Very limited Seepage	1.00	Very limited Ponding Depth to saturated zone Piping Salinity Seepage	1.00 1.00 1.00 1.00 0.16	Very limited Cutbanks cave Salty water	1.00 0.01
Tk: Transquaking-----	90	Very limited Seepage	1.00	Not Rated Not Rated Content of organic matter Ponding Depth to saturated zone Salinity	1.00 1.00 1.00 1.00	Very limited Salty water Cutbanks cave	1.00 0.10
TP: Transquaking-----	50	Very limited Seepage	1.00	Not Rated Not Rated Content of organic matter Ponding Depth to saturated zone Salinity	1.00 1.00 1.00 1.00	Very limited Salty water Cutbanks cave	1.00 0.10
Misphillion-----	30	Very limited Seepage	1.00	Not Rated Not Rated Ponding Depth to saturated zone Salinity	1.00 1.00 1.00 0.50	Somewhat limited Salty water Cutbanks cave	0.78 0.10
Uc: Urban Land-----	55	Not rated		Not rated		Not rated	
Acquango-----	35	Very limited Seepage	1.00	Somewhat limited Seepage	0.98	Unlimited	
Um: Urban Land-----	45	Not rated		Not rated		Not rated	

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Askecksy-----	35	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.99	Very limited Cutbanks cave	1.00
Un: Brockatonorton-----	40	Very limited Seepage	1.00	Somewhat limited Seepage Depth to saturated zone	0.98 0.86	Very limited Cutbanks cave Depth to water	1.00 0.06
Urban Land-----	40	Not rated		Not rated		Not rated	
Ur: Urban Land-----	90	Not rated		Not rated		Not rated	
Ut: Urban Land-----	54	Not rated		Not rated		Not rated	
Udorthents-----	44	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.43 0.17	Very limited Cutbanks cave Depth to water	1.00 0.25
Uz: Udorthents-----	85	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.43 0.17	Very limited Cutbanks cave Depth to water	1.00 0.25
W: Water-----	100	Not Rated Not Rated; Ksat Not Rated; Slope		Not Rated Not Rated; Fragments > 75mm Not Rated Not Rated Not Rated		Not Rated Not Rated; Fragments > 75mm	
WdA: Woodstown-----	75	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Cutbanks cave Depth to water	1.00 0.07

Table WMS-1.--Water Management--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WdB: Woodstown-----	75	Very limited Seepage	1.00	Somewhat limited Depth to saturated zone Seepage	0.84 0.12	Very limited Cutbanks cave Depth to water	1.00 0.07
Zk: Zekiah-----	75	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.22	Very limited Cutbanks cave	1.00

